Population per square mile 24 Staffing - FTE Number Popul County ranking in state (1-72) 58 Clients Costs Total staff 16 COP 69 \$35,222 Administrative 2	
Population per square mile 24	Per 10,000
Age Female Male Total MA Waiver * Professional staff 7	Number Population 16 7.7 2 1.0
0-14	7 3.4 1 0.5 6 2.9
25-29	Per capita 971.417 \$51.29
30-34	
55-64	
55-64	501 15 430 25
Age	4 46 2
45-64	2
(Family Care not provided in county) WIC PARTICIPANTS Poverty Estimates for 2000	
Estimate (C.I.+/-) Note: Eligible and waiting clients Pregnant/Postpartum 10.1% (7%) will be phased into the COP and MA Infants Ages 0-17 670 63 Waivers as available. Children, age 1-4 13.3% (9%) Total	239
13.3% (9%) Total T	850
Average wage for jobs covered Home Health Agencies 1	
	4 14
Labor Force Estimates	13 49 111

			NATA	LITY				
TOTAL LIVE BIRTHS		213	Birth Order			Marital Status		
			First	82	38	of Mother	Births	Percent
Crude Live Birth Rate	1	10.2	Second	70	33	Married	147	
General Fertility Rat			Second Third Fourth or higher Unknown	15	21	Not married		31
I delicial restricty Rat	. C	JJ. 4	Fourth or higher	16	21	Unknown	00	0
live births with rene	rtad		Inknown	10	0	UTIKITOWIT	U	U
Live births with repo congenital anomalies	n teu	2 0 00/	UTIKTIOWIT	9	U	Education.		
i congenital anomalies		2 0.9%				Education	5	
	D		First Prenatal Visit	D			Births	
Delivery Type		Percent	Visit	Births	Percent	Elementary or les	ss 2	1
Vaginal after			1st trimester	181	85	Some high school	30	14
previous cesarean	2	1	2nd trimester	29	14	High school	81	38
Forceps	5	2	3rd trimester	3	1	Some college	51	24
Other vaginal	156	73	1st trimester 2nd trimester 3rd trimester No visits Unknown	0	Θ	Some high school High school Some college College graduate Unknown	48	23
Primary cesarean	26	12	Unknown	0	0	Unknown	1	< . 5
i Repeat cesarean	24	11						
Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	0	Θ	Number of Prenatal			Smoking Status		
	•	,	Care visits	Births	Percent	of Mother	Births	Percent
Birthweight	Rirths	Percent	No visits	0	0	Smoker	54	25
1 <1 500 gm	1	1 9	1-4	7	3	Nonsmoker	158	74
1 1 500 5 m	12	6 1	5-9	33	15	Nonsmoker Unknown	1 1	<.5
1,500-2,499 giii	106	92.6	10-12	118	55	UTIKTIOWIT	т	`
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	130	32.0	13+	55	26			
I UTKTOWIT	U	U		9	2 O			
-					· ·			
					· ·			
					· ·	er of First Prenata	 L Visit	
					· ·	er of First Prenata 2nd Trimester	Visit Other/	 'Unknown
 Race of Mother	Births F	ercent			· ·	er of First Prenata 2nd Trimester Births Percent	Visit Other/ Births	Unknown Percent
 Race of Mother White	Births F	Percent 98			· ·	er of First Prenata 2nd Trimester Births Percent 29 14	Visit Other/ Births 3	Unknown Percent
 Race of Mother White Black	Births F 209 2	Percent 98 1			· ·	er of First Prenata 2nd Trimester Births Percent 29 14 * .	Visit Other/ Births 3	'Unknown Percent 1
 Race of Mother White Black Other	Births F 209 2 2	Percent 98 1 1			· ·	er of First Prenata 2nd Trimester Births Percent 29 14 *	Visit Other/ Births 3	'Unknown Percent 1
Race of Mother White Black Other	Births F 209 2 2	Percent 98 1 1 0			· ·	er of First Prenata 2nd Trimester Births Percent 29 14 * .	Visit Other/ Births 3	'Unknown Percent 1
Race of Mother White Black Other Unknown	Births F 209 2 2 0		Low Birthweight (under 2,500 gm) Births Percent 16 7.7 *	1st Tr Births 177 * *	Trimest imester Percent 85			
Race of Mother White Black Other Unknown	Births F 209 2 2 0		Low Birthweight (under 2,500 gm) Births Percent 16 7.7 *	1st Tr Births 177 * *	Trimest imester Percent 85			
Race of Mother White Black Other Unknown			Low Birthweight (under 2,500 gm) Births Percent 16 7.7 *	1st Tr Births 177 * *	Trimest imester Percent 85			
	 Fε		Low Birthweight (under 2,500 gm) Births Percent 16 7.7 *	1st Tr Births 177 * *	Trimest imester Percent 85			
 Age of Mother	Fe Births	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 177 * *	Trimest imester Percent 85			
 Age of Mother <15	Fe Births 0	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 177 * *	Trimest imester Percent 85 Trimest imester Percent	er of First Prenata 2nd Trimester Births Percent		
 	F6 Births 0 9	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 177 * * Births	Trimestonestonestonester Percent 85 Trimestonestonester Percent . 78	er of First Prenata 2nd Trimester Births Percent 2 22		
Age of Mother <15 15-17 18-19	F6 Births 0 9 21	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 177 * *	Trimestonestonestonestonester Percent 85 Trimestonestonestonester Percent . 78 95	er of First Prenata 2nd Trimester Births Percent 2 22 1 5	Visit Other/ Births	Unknown Percent
Age of Mother <15 15-17 18-19 20-24	Fe Births 0 9 21 59	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 177 * *	Trimestonestonestonestonester Percent 85 Trimestonestonestonester Percent . 78 95 80	er of First Prenata 2nd Trimester Births Percent . 2 22 1 5 11 19	Visit Other/ Births 1	'Unknown Percent
Age of Mother <15 15-17 18-19 20-24 25-29	Fe Births 0 9 21 59 68	ertility Rate 19 101 142 127	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 * * * Low Birthweight (under 2,500 gm) Births Percent . . 10 16.9 7 10.3	1st Tr Births 177 * *	Trimestonestonestonestonester Percent 85 Trimestonestonestonester Percent . 78 95 80 85	er of First Prenata 2nd Trimester Births Percent 2 22 1 5 11 19 8 12	Visit Other/ Births	Unknown Percent
Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Fe Births 0 9 21 59 68 38	ertility Rate 19 101 142 127 66	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 *	1st Tr Births 177 * *	Trimestonestonestonestonester Percent 85 Trimestonestonestonester Percent . 78 95 80 85 92	er of First Prenata 2nd Trimester Births Percent 2 22 1 5 11 19 8 12	Visit Other/ Births 1	'Unknown Percent
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 0 9 21 59 68 38 16	ertility Rate 19 101 142 127 66 20	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 * * * Low Birthweight (under 2,500 gm) Births Percent . . 10 16.9 7 10.3	1st Transition 177 * * * *	Trimestonestonestonestonester Percent 85 Trimestonestonestonester Percent . 78 95 80 85	er of First Prenata 2nd Trimester Births Percent 2 22 1 5 11 19 8 12	Visit Other/ Births 1	'Unknown Percent
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 0 9 21 59 68 38 16 2	ertility Rate 19 101 142 127 66 20 2	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 * * * Low Birthweight (under 2,500 gm) Births Percent . . 10 16.9 7 10.3	1st Tr Births 177 * *	Trimestonestonestonestonester Percent 85 Trimestonestonestonester Percent . 78 95 80 85 92	er of First Prenata 2nd Trimester Births Percent 2 22 1 5 11 19 8 12	Visit Other/ Births 1	'Unknown Percent
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 0 9 21 59 68 38 16	ertility Rate 19 101 142 127 66 20	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 * * * Low Birthweight (under 2,500 gm) Births Percent . . 10 16.9 7 10.3	1st Transition 177 * * * *	Trimestonestonestonestonester Percent 85 Trimestonestonestonester Percent . 78 95 80 85 92	er of First Prenata 2nd Trimester Births Percent 2 22 1 5 11 19 8 12	Visit Other/ Births 1	'Unknown Percent
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 0 9 21 59 68 38 16 2	ertility Rate 19 101 142 127 66 20 2	Low Birthweight (under 2,500 gm) Births Percent 16 7.7 * * * Low Birthweight (under 2,500 gm) Births Percent . 10 16.9 7 10.3	1st Transition 177 * * *	Trimestimester Percent 85 Trimestimester Percent . 78 95 80 85 92 81	er of First Prenata 2nd Trimester Births Percent 2 22 1 5 11 19 8 12	Visit Other/ Births	/Unknown Percent 2 . 3

MORBIDITY			MO F	RTALITY		
1	l Note: Death rates (except in	nfant) are	per 100,000 population.	Infant.	- 1
	neonatal and	nostneor	natal death	rates are per 1,000 liv	e births.	i
REPORTED* CASES OF SELECTED DISEASES	Perinatal and	l fetal de	eath rates	are per 1,000 live birth	is plus	i
	fetal deaths	Rates	are not cal	culated for fewer than 2	0 deaths	i
	l	Maces 6	are mor car	caracca for remer chair i	o acaciis.	i
Disease Number	TOTAL DEATHS		238	Selected		i
Campylobacter Enteritis 10		ite	1 137	Underlying Cause	Deaths Rate	i
Giardiasis <5	l Crade Beden Ro		1,10,	Heart Disease (total)		i
Hepatitis Type A 0				Ischemic heart diseas		i
Hepatitis Type B**	Age	Deaths	Rate	Cancer (total)	56 268	i
Hepatitis NANB/C 6	1-4			Trachea/Bronchus/Lung	19 .	i
Legionnaire's 0	j <u>-</u> - 14				_	i
Lyme 0	15-19	ĺ		Colorectal Female Breast	3 .*	۱ ،
Measles 0	20-34	3		Cerebrovascular Diseas		i
Meningitis, Aseptic <5	35-54	13		Lower Resp. Disease		i
Meningitis, Bacterial 0	55-64	20	892	Pneumonia & Influenza		i
Mumps 0	65-74	48		Accidents	10 .	i
Pertussis 0	75-84	72	5,069	Motor vehicle	5.	i
Salmonellosis 7	i 85+	79	14,470	l Diabetes	7.	i
Shigellosis 0	İ		•	Infectious & Parasition	2.	i
Tuberculosis 0	İ			Suicide	3 .	j
	İ Infant					ĺ
* 2001 provisional data	Mortality	Deaths	Rate	* Rate for female brea		ĺ
** Includes all positive HBsAg	Mortality Total Infant Neonatal Postneonatal	2	•	on female popula	ıtion.	
test results	Neonatal		•			
	l Postneonatal	2		ALCOHOL AND DRUG ABUSE		ļ
	ļ Unknown		•	OR CONTRIBUTING CAU	ISE OF DEATH	ļ
Sexually Transmitted Disease	ļ <u></u>			!	_	ļ
Chlamydia Trachomatis 13	Race of Mother	_		Alcohol Other Drugs Both Mentioned	3 .	!
Genital Herpes <5	White	2	•	Other Drugs	۷ .	ļ
Gonorrhea <5	Black		•	Both Mentioned		ļ
Syphilis 0	Other	•	•	 MOTOR VEHICL	E CDACHEC	-
	Unknown	•	•	MOTOR VEHICE	E CRASHES	-
	ı Birthweight			I I Note: These data are	hased on locatio	n I
IMMUNIZATIONS	<1,500 gm			of crash, not of		"'
IIIIIONIZ/(IIONS	1,500-2,499 gm	2	•	1	in restactice.	ł
Children in Grades K-12 by	2,500 2,433 gm 2,500+ gm	,	•	I I Type of Motor	Persons Persons	:
i Compliance Level	Unknown	2	•	Type of Motor Vehicle Crash Total Crashes	Injured Killed	
Compliant 3,979	I STIKITOWIT	•	•	Total Crashes	199 4	
Compliant 3,979 Non-compliant 21	İ			Total Crashes Alcohol-Related	36 2	
Percent Compliant 99.5	I Perinatal			With Citation:	20 2	•
	i Mortalitv	Deaths	Rate	For OWI	26 0) ¦
	Total Perinatal	1		For Speeding	31 0	
	Neonatal		•	For Speeding Motorcyclist	3 0	
İ	Neonatal Fetal	1		Bicyclist	4 0	
	ĺ			Pedestrian	1 0) j
	· 					

Fourth of four pages

------ HOSPITALIZATIONS ------

PAGE 4

Don Avonago Chairea I				
Per Average Charge	Per	Average	2	Charge
DISEASE / 1,000 Stay Average Per DISEASE /	1,000) Stay	Average	e Per
DISEASE / 1,000 Stay Average Per DISEASE / AGE GROUP Number Pop (Days) Charge Capita AGE GROUP Numb	er Pop	(Days)) Charge	Capita
	·		· ·	·
Injury-Related: All Alcohol-Related				
	43 2.1	4.6	\$4,318	\$9
	29 4.3			\$16
18-44 31 4.6 2.8 \$8,564 \$39 45-64	10 .			
45-64 36 7.1 3.6 \$13,884 \$99 Pneumonia and Influen		•	•	•
	98 4.7	4.7	¢7 205	\$34
		4.7	\$7,265	\$34
Injury: Hip Fracture <18	12 .		¢0 24	.
Total 32 1.5 6.1 \$17,300 \$26 45-64 65+ 30 7.6 6.1 \$17,117 \$130 65+	29 5.7		\$9,347	\$53
	55 14.0	4.7	\$6,815	\$95
Injury: Poisonings Cerebrovascular Disea	se			
Total 9 Total	93 4.4	4.7	\$10,751	\$48
Total 9 Total 45-64	12 .			
j 65+	78 19.8	3 4.7	\$10,115	\$200
Psychiatric Chronic Obstructive P				4-00
	57 2.7			\$13
<18	3 .		\$1,075	
<18	3 .		•	•
45-64	17 .	•	•	•
45-64	34 8.6		¢	¢ 4 C
65+	34 8.6	3.9	\$5,275	\$46
Drug-Related			44 0-0	4-
Coronary Heart Disease Total	25 1.2		\$6,053	\$7
	12 .	•		
45-64 50 9.9 2.2 \$14,363 \$142				
65+ 117 29.7 4.0 \$17,396 \$517 Total Hospitalization	S			
I Total 2.6	91 128.6	4.2	\$9,329	\$1,200
Malignant Neonlasms (Cancers): All	53 69.3	3.3	\$4,245	\$294
Total 138 6.6 6.0 \$16,122 \$106 18-44 5	35 78.8			\$527
1 18-44 11	35 105.5	4 0	\$10,626	
Total 138 6.6 6.0 \$16,122 \$106 18-44 5 18-44 5 45-64 5 45-64 37 7.3 4.5 \$12,978 \$95 65+ 1,2	68 322.1	4.9		\$3,644
45-64	00 522.1	4.5	JII , JII	¥5,044
Neoplasms: Female Breast (rates for female population) PREVENTA	DIE HOCDT	TAL T7AT1	T∩NC*	
				\$114
Total 10 Total 3	22 10.0			
Neoplasms: Colo-rectal	32 6.3			\$21
Total 22 1.1 8.1 \$19,046 \$20 18-44	28 4.1		\$6,726	\$28
65+ 18	89 17.5		\$6,429	\$113
		4.3	\$6,373	\$389
Total 16 * Hospitalizations for c	onditions	where t	timely and	l effective
ambulatory care can redu				
Diabetes The definition of preven	table hos	spitaliza	ations in	2001
Total 38 1.8 6.5 \$12,606 \$23 is consistent with the				
65+ 16 Please refer to the note			f this bag	e in the
1997 report for an expl	anation o	of the ch	nange made	hetween
1996 and 1997.			gcaac	. Sconcen
, 1550 did 1557.				